



JINHU SILICONE/RUBBER HOSE



As a pioneer in the automotive parts industry, we take pride in offering innovative, reliable and highly secure and sealed automotive accessories that set the standard for excellence.

Our founder of the enterprise has been deeply involved in the automotive parts industry for 20 years.

Backed by a team of 50 highly skilled professionals, we are committed to delivering exceptional expertise and swift response, ensuring a smooth and worry-free partnership from start to finish.

With a 30,000 m² facility and 6 production lines, we enable faster lead times and stable production, ensuring you always have stock ready to meet market demand.

Renowned for exceptional quality and reliability, our products are trusted by customers in over 50 countries and regions worldwide, giving you a proven partner for global growth.

CERTIFICATES



TECHNICAL INSPECTION ATTESTATION OF CONFORMITY

The Company mentioned below has been audited by the Notified Body UDEM,
According to relevant standard given below.

Company Name : Xingtai Jinhui Technology Co., Ltd.

Company Address : Qilin Hui, Xindu District, Xingtai City, Hebei Province, China

Related Standards : EN 12365-3:2003

Product Name : Seal strip

Report No and Date : JAT-CE2292-1705

Product Brand/Model/Type : JH-S-001, JH-S-002, JH-S-003, JH-S-004, JH-S-005, JH-S-006, JH-S-007, JH-S-008, JH-S-009, JH-S-010, JH-S-011, JH-S-012, JH-S-013, JH-S-014, JH-S-015, JH-S-016, JH-S-017, JH-S-018, JH-S-019, JH-S-020, JH-S-021, JH-S-022, JH-S-023, JH-S-024, JH-S-025, JH-S-026, JH-S-027, JH-S-028, JH-S-029, JH-S-030, JH-P-026, JH-P-023, JH-P-027

Certificate Number : M.2024.206.C102750
Initial Assessment Date : 25.06.2024
Registration Date : 26.06.2024
Reissue Date/No : -
Expiry Date : 25.06.2029

UDEM International Certification
Auditing Training Centre Industry
and Trade Inc. Co.
Mustafa MEMISOGLU
General Manager

Address: Mufakent Mahallesi 2073 Sokak (Eski 93 Sokak) No:10 Çankaya Ankara - Türkiye
Phone: +90 0312 443 03 90 Fax: +90 0312 443 03 76
E-mail: info@udem.com.tr www.udem.com.tr

UDPM 300/00-00/03.01.2024



Report Number: QIP-ASI236687

Audit Date : 07 Sep. 2023

This report is issued by Focus Technology Co., Ltd. (Made-in-China.com) and the supervising inspectorate (SGS-CSTC Standards Technical Services Co., Ltd.) to confirm that:

Company Name : Xingtai Jinhui Technology Co., Ltd.
Showroom : <https://jinhutech.en.made-in-china.com>
Address : Room 315, Floor 3, Apartment 2, Qilinhui, Quannan West Street, Quannan Sub-District Office, Xindu District, Xingtai City, Hebei Province, China
Product : Seal Strip, Weather Stripping, Edge Trim, Silicone Hose, Rubber Hose, Silicone Rubber Hose, Hookah Silicone Hose, EPDM Hose, Weather Seal Strips, PVC Sealing Strips, Gasoline Fuel, Oil Hose, Rubber Air, Water Hose, Molded Rubber Hose, Refrigerant Hose, Decorate PVC, Rubber Edge Trim, Self Adhesive

has been on site audited for the Following Scope of Activity

1. General Information
2. Foreign Trade Capacity
3. Product Research & Development Capacity
4. Management System and Product Certification
5. Working Environment
6. Photos

General Comments:

Xingtai Jinhui Technology Co., Ltd. is a trading company with 8 employees; it was established in 2023, located in Room 315, Floor 3, Apartment 2, Qilinhui, Quannan West Street, Quannan Sub-District Office, Xindu District, Xingtai City. The offices occupy an area of more than 100 square meters.

Sign for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd.

SGS-MIC858520

Member of the SGS Group (SGS SA)



Audit Report

Report NO.: MIC-ASR256733 Audit Date : 2025-09-12

Holder:
Company Name (English): Xingtai Jinhui Technology Co., Ltd.
Company Name (Chinese): 邢台锦源科技有限公司
Showroom: <https://jinhutech.en.made-in-china.com>
Registered address: Room 315, 3rd Floor, Apartment 2, Qilinhui, Quannan West Street, Quannan Sub-District Office, Xindu District, Xingtai City, Hebei Province, China
Actual address: Room 314 And 315, 3rd Floor, Apartment 2, Qilinhui, Quannan West Street, Quannan Sub-District Office, Xindu District, Xingtai City, Hebei Province, China
Indent Type: • Re-Audit
Main Product: Automobile Spare Parts

Sign for and on behalf of TÜV Rheinland

Auditor: Zhi Wang Reviewed by: Lara Hu

This report is issued by TÜV Rheinland Group, not including the subject of the audit. The report reflects our findings on the date of our service only and does not discharge or reduce the factory's responsibilities from their commercial, legal or contractual obligations with buyers in respect of products provided by the factory/sellers. Any reader other than the party for which this report has been specifically issued is hereby informed that the General Conditions of sale of TÜV Rheinland contain liability limitation provisions.

To check the authenticity of testing/inspection report & certificate, please click: <https://www.verified.chn.tuv.com/en/>



Audit Report

Report NO.: MIC-ASR246542 Audit Date : 2024-06-28

Holder:
Company Name (English): Xingtai Jinhui Technology Co., Ltd.
Company Name (Chinese): 邢台锦源科技有限公司
Showroom: <https://jinhutech.en.made-in-china.com>
Registered address: 3F 315, Apartment No. 2 Qilin Hui, Quannan West Street, Xindu District, Xingtai City, Hebei Province, China
Actual address: Qilin Hui Business Building, Quannan West Street, Xindu District, Xingtai City, Hebei Province, China
Indent Type: • Re-Audit
Main Product: Custom Silicone / Rubber Hose / Tube Auto OEM Support, Silicone / Rubber / EPDM Seal Strip / Weather Strip / Weathering Strip / Sealing Strip & PVC Edge Trim Accept Customized Drawings & Sample


Sign for and on behalf of Bureau Veritas

Auditor: Yonghui Zhao Reviewed by: Jessie Zhu

This document is issued by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder who has received this information contained herein is solely limited to visual examination of the safety and readily accessible portions of the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's findings are not to be used by the Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the law. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is prohibited and shall be prosecuted to the fullest extent of the law.

To check the authenticity of testing/inspection report & certificate, please click: <http://www.bvverchina.cn/>

OUR FACTORY



APPLICABLE MODEL/ENGINE



SUITABLE ENGINE, ALL MODELS

Silicone hose: straight pipe/special shape/increase explosion-proof ring/increase steel pipe



EPDM hose: straight pipe/shaped/add anti-wear net/add steel pipe joint





EPDM steel pipe: Straight pipe/special shape/add steel pipe joint/add screw joint






Molded parts: inlet and outlet air expansion tube air filter hose



SOME PRODUCTS AND DRAWINGS



PROCESS FLOW CHART OF SILICONE TUBE PRODUCTS



Straight Reducer Silicone Hose



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
38-19	1-1/2"-3/4"	4	5.0	76mm
38-25	1-1/2"-1"	4	5.0	76mm
45-32	1-3/4"-1-1/4"	4	5.0	76mm
45-35	1-3/4"-1-3/8"	4	5.0	76mm
45-38	1-3/4"-1-1/2"	4	5.0	76mm
51-38	2"-1-1/2"	4	5.0	76mm
57-45	2-1/4"-1-3/4"	4	5.0	76mm
57-51	2-1/4"-2"	4	5.0	76mm
60-51	2-3/8"-2"	4	5.0	76mm
63-57	2-1/2"-2-1/4"	4	5.0	76mm
70-51	2-3/4"-2"	4	5.0	76mm
70-60	2-3/4"-2-1/4"	4	5.0	76mm
70-57	2-3/4"-2-3/8"	4	5.0	76mm
70-63	2-3/4"-2-1/2"	4	5.0	76mm
76-51	3"-2"	4	5.0	76mm
76-57	3"-2-1/4"	4	5.0	76mm
76-63	3"-2-1/2"	4	5.0	76mm
76-70	3"-2-3/4"	4	5.0	76mm
80-60	3-1/8"-2-3/8"	4	5.0	76mm
80-63	3-1/8"-2-1/2"	4	5.0	76mm
80-70	3-1/8"-2-3/4"	4	5.0	76mm
80-76	3-1/8"-3"	4	5.0	76mm
83-63	3-1/4"-2-1/2"	4	5.0	76mm
83-70	3-1/4"-2-3/4"	4	5.0	76mm
83-76	3-1/4"-3"	4	5.0	76mm
89-51	3-1/2"-2"	4	5.0	76mm
89-57	3-1/2"-2-1/4"	4	5.0	76mm
89-63	3-1/2"-2-1/2"	4	5.0	76mm
89-70	3-1/2"-2-3/4"	4	5.0	76mm
89-76	3-1/2"-3"	4	5.0	76mm
89-83	3-1/2"-3-1/4"	4	5.0	76mm
102-76	4"-3"	4	5.0	76mm
102-83	4"3-1/4"	4	5.0	76mm

1 m Straight Silicone Hose



PHOTO	ITEM NO.	ID (mm)	ID (inch)	THICK (mm)	PLY
	JH-SM6	6	1/4	4.5	3-4
	JH-SM8	8	5/16	4.5	3-4
	JH-SM10	10	3/8	4.5	3-4
	JH-SM12	12	1/2	4.5	3-4
	JH-SM14	14	9/16	4.5	3-4
	JH-SM16	16	5/8	4.5	3-4
	JH-SM18	18	11/16	4.5	3-4
	JH-SM20	20	13/16	4.5	3-4
	JH-SM22	22	7/8	4.5	3-4
	JH-SM25	25	1	4.5	3-4
	JH-SM28	28	1 1/8	4.5	3-4
	JH-SM32	32	1 1/4	4.5	3-4
	JH-SM38	38	1 1/2	4.5	3-4
	JH-SM45	45	1 3/4	4.5	3-4
	JH-SM51	51	2	5.0	3-4
	JH-SM57	57	2 1/4	5.0	3-4
	JH-SM63	63	2 1/2	5.0	3-4
	JH-SM70	70	2 3/4	5.0	3-4
	JH-SM76	76	3	5.5	3-4
	JH-SM80	80	3 1/8	5.5	3-4
	JH-SM83	83	3 1/4	5.5	3-4
	JH-SM89	89	3 1/2	5.5	3-4
	JH-SM102	102	4	5.5	3-4

Silicone Long Hose



ID / OD (mm)	Layers	Thick (mm)	Length
ID 6 / OD 14	2	4	20m / Roll
ID 8 / OD 16	2	4	20m / Roll
ID 10 / OD 18	2	4	20m / Roll
ID 12 / OD 20	2	4	20m / Roll
ID 14 / OD 22	2	4	20m / Roll
ID 16 / OD 24	2	4	20m / Roll
ID 18 / OD 26	2	4	20m / Roll
ID 19 / OD 27	2	4	20m / Roll
ID 6 / OD 16	4	5	20m / Roll
ID 10 / OD 20	4	5	20m / Roll
ID 12 / OD 22	4	5	20m / Roll
ID 14 / OD 24	4	5	20m / Roll
ID 16 / OD 26	4	5	20m / Roll
ID 18 / OD 28	4	5	20m / Roll
ID 20 / OD 30	4	5	20m / Roll
ID 22 / OD 32	4	5	20m / Roll
...	...	...	...

45° Elbow Silicone Hose



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
16	5/8"	4	5.0	90*90/120*120
19	6/8"	4	5.0	90*90/120*120
25	1"	4	5.0	90*90/120*120
32	1-1/4"	4	5.0	90*90/120*120
38	1-1/2"	4	5.0	90*90/120*120
45	1-3/4"	4	5.0	90*90/120*120
51	2"	4	5.0	90*90/120*120
57	2-1/4"	4	5.0	90*90/120*120
60	2-1/2"	4	5.0	90*90/120*120
63	2-1/2"	4	5.0	90*90/120*120
70	2-3/4"	4	5.0	90*90/120*120
76	3"	4	5.0	90*90/120*120
86	3-1/4"	4	5.0	90*90/120*120
89	3-1/2"	4	5.0	90*90/120*120
90	3-6/11"	4	5.0	90*90/120*120
102	4"	4	5.0	90*90/120*120
127	5"	4	5.0	90*90/120*120

90° Elbow Silicone Hose



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
16	5/8"	4	5.0	90*90/120*120
19	6/8"	4	5.0	90*90/120*120
25	1"	4	5.0	90*90/120*120
32	1-1/4"	4	5.0	90*90/120*120
38	1-1/2"	4	5.0	90*90/120*120
45	1-3/4"	4	5.0	90*90/120*120
51	2"	4	5.0	90*90/120*120
57	2-1/4"	4	5.0	90*90/120*120
60	2-1/2"	4	5.0	90*90/120*120
63	2-1/2"	4	5.0	90*90/120*120
70	2-3/4"	4	5.0	90*90/120*120
76	3"	4	5.0	90*90/120*120
86	3-1/4"	4	5.0	90*90/120*120
89	3-1/2"	4	5.0	90*90/120*120
90	3-6/11"	4	5.0	90*90/120*120
102	4"	4	5.0	90*90/120*120
127	5"	4	5.0	90*90/120*120

Hump Silicone Hose




内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
25	1"	4	5.0	76mm
32	1-1/4"	4	5.0	76mm
38	1-1/2"	4	5.0	76mm
45	1-3/4"	4	5.0	76mm
51	2"	4	5.0	76mm
57	2-1/4"	4	5.0	76mm
60	2-1/2"	4	5.0	76mm
63	2-1/2"	4	5.0	76mm
70	2-3/4"	4	5.0	76mm
76	3"	4	5.0	76mm
80	3-1/8"	4	5.0	76mm
83	3-1/4"	4	5.0	76mm
89	3-1/2"	4	5.0	76mm
102	4"	4	5.0	76mm

45° Elbow Reducer



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
25-19	1"-3/4"	4	5.0	90*90mm
38-25	1-1/2"-1"	4	5.0	90*90mm
38-32	1-1/2"-1-1/4"	4	5.0	90*90mm
45-38	1-3/4"-1-1/2"	4	5.0	90*90mm
51-38	2"-1-1/2"	4	5.0	90*90mm
57-51	2-1/4"-2"	4	5.0	90*90mm
63-51	2-1/2"-2"	4	5.0	90*90mm
63-57	2-1/2"-2-1/4"	4	5.0	90*90mm
70-57	2-3/4"-2-1/4"	4	5.0	90*90mm
70-63	2-3/4"-2-1/2"	4	5.0	90*90mm
76-51	3"-2"	4	5.0	90*90mm
76-57	3"-2-1/4"	4	5.0	90*90mm
76-63	3"-2-1/2"	4	5.0	90*90mm
76-67	3"-2-16/25"	4	5.0	90*90mm
85-76	3-1/3"-3"	4	5.0	90*90mm
89-76	3-1/2"-3"	4	5.0	90*90mm
89-83	3-1/2"-3-1/4"	4	5.0	90*90mm

90° Elbow Reducer



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
25-19	1"-3/4"	4	5.0	90*90/120*120
38-25	1-1/2"-1"	4	5.0	90*90/120*120
45-38	1-3/4"-1-1/2"	4	5.0	90*90/120*120
51-38	2"-1-1/2"	4	5.0	90*90/120*120
57-45	2-1/4"-1-3/4"	4	5.0	90*90/120*120
57-51	2-1/4"-2"	4	5.0	90*90/120*120
60-51	2-3/8"-2"	4	5.0	90*90/120*120
63-51	2-1/2"-2"	4	5.0	90*90/120*120
63-57	2-1/2"-2-1/4"	4	5.0	90*90/120*120
70-51	2-3/4"-2"	4	5.0	90*90/120*120
70-63	2-3/4"-2-1/2"	4	5.0	90*90/120*120
76-51	3"-2"	4	5.0	90*90/120*120
76-57	3"-2-1/4"	4	5.0	90*90/120*120
76-63	3"-2-1/2"	4	5.0	90*90/120*120
76-70	3"-2-3/4"	4	5.0	90*90/120*120
80-63	3-1/8"-2-1/2"	4	5.0	90*90/120*120
80-70	3-1/8"-2-3/4"	4	5.0	90*90/120*120
80-76	3-1/8"-3"	4	5.0	90*90/120*120
89-70	3-1/2"-2-3/4"	4	5.0	90*90/120*120
102-76	4"-3"	4	5.0	90*90/120*120
102-89	4"-3-1/2"	4	5.0	90*90/120*120
127-102	5"-4"	4	5.0	90*90/120*120

135° Elbow Reducer



内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
51-38	2"-1-1/2"	4	5.0	100*100
63-51	2-1/2"-2"	4	5.0	100*100
63-57	2-1/2"-2-1/4"	4	5.0	100*100
76-51	3"-2"	4	5.0	125*125
76-63	3"-2-1/2"	4	5.0	125*125
89-76	3-1/2"-3"	4	5.0	125*125
102-76	4"-3"	4	5.0	125*125

180° U-SHAPE Elbow




内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
6.5	1/4"	4	5.0	90*90
8	5/16"	4	5.0	90*90
25	5/8"	4	5.0	90*90
38	1-1/2"	4	5.0	102*75*102
45	1-3/4"	4	5.0	102*114*102
51	2"	4	5.0	102*153*102
57	2-1/4"	4	5.0	127*171*127
60	2-3/8"	4	5.0	127*180*127
63	2-1/2"	4	5.0	127*189*127
70	2-3/4"	4	5.0	127*210*127
76	3"	4	5.0	127*228*127
89	3-1/2"	4	5.0	140*267*140
102	4"	4	5.0	140*306*140

Flexible Steel Wire SiliconeCorrugated Hose




内径ID Diameter-mm	内径ID Diameter-mm	层数 Layer	壁厚 Thickness-mm	长度 Length-mm
12	1/2"	4	5.0	200-1000mm
16	5/8"	4	5.0	200-1000mm
19	3/4"	4	5.0	200-1000mm
25	1"	4	5.0	200-1000mm
32	1-1/4"	4	5.0	200-1000mm
38	1-1/2"	4	5.0	200-1000mm
45	1-3/4"	4	5.0	200-1000mm
51	2"	4	5.0	200-1000mm
57	2-1/4"	4	5.0	200-1000mm
63	2-1/2"	4	5.0	200-1000mm
70	2-3/4"	4	5.0	200-1000mm
76	3"	4	5.0	200-1000mm
80	3-1/8"	4	5.0	200-1000mm
83	3-1/4"	4	5.0	200-1000mm
89	3-1/2"	4	5.0	200-1000mm
102	4"	4	5.0	200-1000mm



内氟外硅 氢燃料 专用

Special for inner fluorine outer silicone hydrogen fuel



氢能源电堆出口管

Hydrogen energy stack outlet hose



空气排出管

Air exhaust hose



氢能源管

Hydrogen hose



加湿器连接管

Humidifier connecting pipe




氢能源管

Hydrogen hose



压缩机出口管

Compressor outlet hose



高温硅胶管

型号:1109021A0-3C551


规格:Φ102



高温硅胶管

型号:1109021A0-5E682


规格:Φ102*100



连接硅胶管

型号:1109022A0-M028

规格:Φ60/80



中冷器胶管

型号:1109024A0-1K550

规格:Φ102/130



高温硅胶管

型号:1109024A0-3E583

规格:Φ102/150



空滤出口气

型号:1109024A0-3E660

规格:Φ120/102



空滤出气口

型号:1109024A0-3K075

规格:Φ80/130



空滤出气口

型号:1109024A0-3R608

规格:ΦΦ90/102



空滤出口器胶管

型号:1109024A0-5D581

规格:Φ90/112



增压器胶管总成

型号:1109120A0-3R608

规格:Φ68/51



连接胶管

型号:1119013A0-3Q566

规格:Φ75/65



连接硅胶管

型号:1119013A0-3Q569

规格:Φ63.5/76



连接胶管

型号:1119013A0-3R023

规格:Φ63.5



连接胶管

型号:1119013A0-N062

规格:Φ70/76*140



连接胶管总成

型号:1119110A0-3k643

规格:Φ82



连接胶管总成

型号:1119120A0-3E622

规格:Φ82/80*180



高温硅胶管

型号:1119120A0-3L001

规格:Φ70/65



连接胶管总成

型号:1119120A0-5Q681

规格:Φ76/82



连接胶管
型号:1119123A0-3R050
规格:Φ50/60



高温硅胶管
型号:1119124A0-3K001
规格:Φ64/82



连接硅胶管
型号:111924A0-3Q566
规格:Φ50



中冷器胶管
型号:1109024A0-1K550
规格:Φ102/130



高温硅胶管
型号:1109024A0-3E583
规格:Φ102/150



空滤出口气
型号:1109024A0-3E660
规格:Φ120/102



空滤出气口
型号:1109024A0-3K075
规格:Φ80/130



空滤出气口
型号:1109024A0-3R608
规格:ΦΦ90/102



空滤出口器胶管
型号:1109024A0-5D581
规格:Φ90/112

Dust-proof series for vibrating screens



硅胶管
型号:JY001
规格:Φ150*300



硅胶管
型号:JY002
规格:Φ320*300



硅胶管
型号:JY003
规格:Φ200/150*200



硅胶管
型号:JY004
规格:Φ219*200



硅胶管
型号:JY005
规格:Φ219*300



硅胶管
型号:JY006
规格:320*400



硅胶管
型号:JY007
规格:110/140 /210/195/
300/310/145/168



硅胶管
型号:JY008
规格:110/140 /210/195/
300/310/145/168



硅胶管
型号:JY009
规格:160*1000

Weichai Hydrogen Energy Series



压缩机进气管

图号：3000256284



空气排气管

图号：3000256580



空气连接管

图号：3000256584



冷却液连接胶管

图号:3000365904




电堆出水管

图号：3000373349



电堆出水管

图号：3000379365



电堆出水管

图号：3000506401



氢气管


图号：3000517439



空气排气管

图号：3000551290

Weichai Hydrogen Energy Series



增湿器连接管
图号：3000551363




连接胶管
图号：3000553242




氢气管
图号：3000553280




压缩机出气管
图号：3000567944



冷却液连接管
图号：3007036032



冷却液连接管
图号：3007036033



氢气管
图号：3007036039



冷却液连接管
图号：3007036196



冷却液连接管
图号：3007036198

GWM Wingle Series



型号：1119112-K84
内径：45/55



型号：1119111XP4QXA
内径：63



型号1119112-K70
内径：49



型号：1119111-K84
内径：55/60



型号：1119111AP45AA（风骏3）
型号：1119111AP45A
内径：45



型号：P1119012018A0
P1119012018
内径：65



型号：1119113AP45AA
内径：50



型号：1119102XPW01A
内径：45/50



型号：P1119012017A0
P1119012017
内径：45/65

GWM Wingle Series



型号: P1119012017A0

P1119012017

内径45/65



型号: 1119112AP45AA (欧洲版)

内径: 45



型号: 1119111XP4QXA

内径: 60



型号: 1109016P1050

内径: 40/60



型号: 1109016P101

内径: 50/65



型号: 1119011XKZ20A (哈弗H6)

内径: 50



型号: 1119111-K70

内径: 50/55



型号: 1119011XKY80A

内径: 45



型号: 1119111XK84XA

内径: 50/55

ZX Auto Pickup / Great Wall Haval



型号：1303010-0133-001
内径：30/35



型号：1303010-0134-001
内径：30



型号：1303013-P301
内径：35/45



型号：13202-4L22BZL0
内径：30



型号：1303010-0373-001
内径：40/50



型号：1303010-0029-001
内径：25 哈弗H5



型号：1303010-0023-001
内径：25/30 风骏5



型号：1303011XKZ16A
内径：30 哈弗H6



型号：1303011-P301
内径：35/40

ZX Auto Pickup / Great Wall Haval



型号: 1303010-0112-001


内径: 30/35



上下水管

上下水管

内径: 30 宝骏730-560



型号: CA100000222

内径: 50



型号: 25468-26101

内径: 6



型号: F1303110

内径: 25



型号: 1301012P1050

内径: 30/35



下水管

型号: 1303010-0017-001

内径: 30 下水管



型号: 1303012XP64XA

内径: 30



上水管

型号: 1303010-0015-001

内径: 30

Toyota



型号：16571-21060



型号：16571-21120



型号：16571-22070



型号：16572-11220



型号：16572-21090



型号：16572-37090



型号：16571-11130



型号：16571-11220



型号：16573-21040

Nissan



型号：21501-53Y00



型号：21503-0M001



型号：97312-2H100



型号：16571-62070



型号：16571-0P360



型号：16571-17070



型号：16571-66040



型号：16572-0L050



型号：21501-9Y000

Nissan



型号：21503-5V200



型号：21503-8H301



型号：25411-07000



型号：24512-25100



型号：25412-4H000



型号：25411-25100



型号：21503-AX000



型号：21503/21501/25412/25411系列

Lada



型号：2108-101206



型号：2170-8101200-11



型号：2170-8101208-11



型号：2114-8101200



型号：2101-8101204



型号：2180-8101200



型号：2108-8101204



型号：2108-8101206



型号：2190-8101200

Lada



型号: 21082-1303025



型号: 2190-1303025-10



型号: 2108-1303010



型号: 2170-1303025-10



型号: 21082-1303010



型号: 2105-1303010-10



型号: 2114-8101208



型号: 2105-1303025-10



型号: 2180-1303010

Komatsu excavator



PC 56-7 挖掘机 发动机 水箱
下水管22H-03-11291
上水管22h-0-1281



PC 35R-8 发动机
14611 下水管
3F4508603



PC 30MR-2 发动机
19673 下水管
22L-03-2117



PC 35R-8 发动机
24610
上水管 22M-03-R1310



PC128/138UU发动机水箱
上水管



PC40-7 发动机水箱
上水管



挖掘机PC60/70-8水箱
上水管



挖掘机PC60/70-9水箱
下水管



PC 40MR-7/8
上下水管

Komatsu excavator



小松PC30-7发动机水箱
进出/上下水管




小松PC200/210-7发动机水箱
进出/上下水管



小松PC120-5 发动机水箱
进出/上下水管



PC350-7增压器进气管
207-01-72160
增压器橡胶空气软管



PC300/350/360-7
上下水管布纹



PC200/210/220/240-8
上下水管高强度布纹



PC60/70/110/120/130-8MO
发动机U型废气阀软管



PC300-8中冷管
6452-12-4420
中冷器橡胶空气软管



PC30-2/3
40泵油缸橡胶回进油管
22L-62-22211 挖掘机

Komatsu excavator



PC200/210-7
原装发动机上下水管



小松PC120-6
发动机水箱进上水管



PC120-6
发动机水箱进下水管



PC300/350-7EO/300/350-8
空滤进气橡胶管
207-01-75



PC56-7
发动机水箱上下水管



PC200-5
发动机水箱上下水管



PC200-8
发动机水箱上下水管



PC56-7
大泵进油管



PC56-7
90度进油管

CAT



卡特CAT
E320D2/323D2/329D2水管
上水管 下水管



卡特CAT
卡特CAT/E306E/C2.6
发动机水箱上下/进出水管



卡特CAT
CAT E312D 313D
挖掘机发动机水箱下水管



卡特CAT
E312D 313D
挖掘机发动机水箱上水管



山东临工SDLG210/225
水箱发动机
上中下/进出/水管



山东临工 SDLG 135/150
发动机水箱
上下水管2015款



山东临工 SDLG 80/90
洋马机发动机
水箱上下水管



神钢
SK130SR/140SR/130/
140-8/进出上下水管



柳工
CLG920/922/925/933/
936/220/225/C/D
水箱上下水管



柳工
CLG 906/907/908/915C/D
发动机水箱上下水管



柳工
XE80C康明斯发动机
水箱上下水管



柳工
XE80挖掘机洋马发动机
水箱上下水管

CIVICFD1/FA1喜美R18K12思域/思铭八代硅胶水管全车水管硅胶管

Suitable for Honda Civic FD1/FA1 (Civic 8th Generation), R18/K12 engine models.

Full vehicle silicone coolant hose kit, high-performance silicone radiator hose set.




Suitable for Honda Civic EK3/EK8/EK9, EG8, K series, B16/B18 DOHC engines (1992-1998). Full vehicle silicone coolant hose kit. High-performance silicone radiator hose set.




适用于雨燕1.5全车水管M15 M16全车硅胶水管硅胶全车水管硅胶

**Suitable for Suzuki Swift 1.5 full vehicle silicone hose kit, M15/M16 full silicone coolant hose set.
High-quality silicone full vehicle hose.**



CUSTOM HOSE



11-17款新阳光N17
玛驰k13 水箱
上下水管 散热器水管



日产吉普
途乐Y60 TD42柴油车
水管 改装上下水管



雪佛兰克鲁兹
英朗
新景城节温器 节气门



沃尔沃空气胶管
20550690