



Professional Integrity, Customer First



Profession · Efficiency · Quality · Service

Contribute Our Strength to Made in China

Xingtai Jinhui Technology Co., LTD

Phone: +8618131972399

Email: admin@jhsealstrip.com

Website: www.jhsealstrip.com

Address: Qilin Hui, Xindu District, Xingtai City, Hebei Province, China

Zip Code: 054000

XINGTAI JINHU TECHNOLOGY CO., LTD

A 20-year-old export-oriented manufacturer specializing in sealing materials



As a pioneer in the automotive parts industry, we take pride in offering innovative, reliable and highly secure and sealed automotive accessories that set the standard for excellence. Our founder of the enterprise has been deeply involved in the automotive parts industry for 20 years.

Backed by a team of 50 highly skilled professionals, we are committed to delivering exceptional expertise and swift response, ensuring a smooth and worry-free partnership from start to finish.

With a 30,000 m² facility and 6 production lines, we enable faster lead times and stable production, ensuring you always have stock ready to meet market demand.

Renowned for exceptional quality and reliability, our products are trusted by customers in over 50 countries and regions worldwide, giving you a proven partner for global growth.



+86 187 3391 1223




admin@jhsealstrip.com














www.jhsealstrip.com

RUBBER HOSE










RUBBER HOSE




| Product Features | Material Characteristics |
|------------------------------------------|-----------------------------|
| Excellent Performance in Delivering Oils | Corrosion Resistance |
| Long Service Life | High Temperature Resistance |
| Strong and Durable | Wear Resistance |
| Easy to Clean | Anti-Aging |
| | UV and Ozone Resistance |
| | |
| | |
| | |

RUBBER HOSE














SILICONE HOSE



| Product Features | Material Characteristics |
|----------------------------|----------------------------------------|
| Heavy Wall Design | Anti-Aging |
| Extreme Pressure Tolerance | Corrosion Resistance |
| Ultra Flexible | High-temperature Resistance |
| Excellent Tensile Strength | Anti-Shock |
| | No Smell |
| | No Toxicity |
| | Electrochemical Degradation Resistance |
| | UV and Ozone Resistance |

SLICONE HOSE





Xingtai Jinhu Technology Co., LTD

E-mail: admin@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618131972399

After-sales service hotline: +8618733911223



Xingtai Jinhu Technology Co., LTD

E-mail: admin@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618131972399

After-sales service hotline: +8618733911223

SILICONE HOSE SERIES

| PHOTO | ITEM NO. | ID (mm) | ID (inch) | THICK (mm) | PLY |
|----------|----------|---------|-----------|------------|-----|
| | JH-SM6 | 6 | 1/4 | 4.5 | 3-4 |
| | JH-SM8 | 8 | 5/16 | 4.5 | 3-4 |
| | JH-SM10 | 10 | 3/8 | 4.5 | 3-4 |
| | JH-SM12 | 12 | 1/2 | 4.5 | 3-4 |
| | JH-SM14 | 14 | 9/16 | 4.5 | 3-4 |
| | JH-SM16 | 16 | 5/8 | 4.5 | 3-4 |
| | JH-SM18 | 18 | 11/16 | 4.5 | 3-4 |
| | JH-SM20 | 20 | 13/16 | 4.5 | 3-4 |
| | JH-SM22 | 22 | 7/8 | 4.5 | 3-4 |
| | JH-SM25 | 25 | 1 | 4.5 | 3-4 |
| | JH-SM28 | 28 | 1 1/8 | 4.5 | 3-4 |
| | JH-SM32 | 32 | 1 1/4 | 4.5 | 3-4 |
| | JH-SM38 | 38 | 1 1/2 | 4.5 | 3-4 |
| | JH-SM45 | 45 | 1 3/4 | 4.5 | 3-4 |
| | JH-SM51 | 51 | 2 | 5.0 | 3-4 |
| | JH-SM57 | 57 | 2 1/4 | 5.0 | 3-4 |
| | JH-SM63 | 63 | 2 1/2 | 5.0 | 3-4 |
| | JH-SM70 | 70 | 2 3/4 | 5.0 | 3-4 |
| | JH-SM76 | 76 | 3 | 5.5 | 3-4 |
| | JH-SM80 | 80 | 3 1/8 | 5.5 | 3-4 |
| JH-SM83 | 83 | 3 1/4 | 5.5 | 3-4 | |
| JH-SM89 | 89 | 3 1/2 | 5.5 | 3-4 | |
| JH-SM102 | 102 | 4 | 5.5 | 3-4 | |

SILICONE HOSE SERIES


| PHOTO | ITEM NO. | ID (mm) | ID (inch) | THICK (mm) | PLY |
|----------|----------|---------|-----------|------------|-----|
| | JH-SC6 | 6 | 1/4 | 4.5 | 3-4 |
| | JH-SC8 | 8 | 5/16 | 4.5 | 3-4 |
| | JH-SC10 | 10 | 3/8 | 4.5 | 3-4 |
| | JH-SC12 | 12 | 1/2 | 4.5 | 3-4 |
| | JH-SC14 | 14 | 9/16 | 4.5 | 3-4 |
| | JH-SC16 | 16 | 5/8 | 4.5 | 3-4 |
| | JH-SC18 | 18 | 11/16 | 4.5 | 3-4 |
| | JH-SC20 | 20 | 13/16 | 4.5 | 3-4 |
| | JH-SC22 | 22 | 7/8 | 4.5 | 3-4 |
| | JH-SC25 | 25 | 1 | 4.5 | 3-4 |
| | JH-SC28 | 28 | 1 1/8 | 4.5 | 3-4 |
| | JH-SC32 | 32 | 1 1/4 | 4.5 | 3-4 |
| | JH-SC38 | 38 | 1 1/2 | 4.5 | 3-4 |
| | JH-SC45 | 45 | 1 3/4 | 4.5 | 3-4 |
| | JH-SC51 | 51 | 2 | 5.0 | 3-4 |
| | JH-SC57 | 57 | 2 1/4 | 5.0 | 3-4 |
| | JH-SC63 | 63 | 2 1/2 | 5.0 | 3-4 |
| | JH-SC70 | 70 | 2 3/4 | 5.0 | 3-4 |
| | JH-SC76 | 76 | 3 | 5.5 | 3-4 |
| | JH-SC80 | 80 | 3 1/8 | 5.5 | 3-4 |
| JH-SC83 | 83 | 3 1/4 | 5.5 | 3-4 | |
| JH-SC89 | 89 | 3 1/2 | 5.5 | 3-4 | |
| JH-SC102 | 102 | 4 | 5.5 | 3-4 | |



Xingtai Jinhu Technology Co., LTD

E-mail: admin@jhsealstrip.com
 Web: www.jhsealstrip.com
 Tel & WeChat & WhatsApp: +8618131972399
 After-sales service hotline: +8618733911223

SILICONE HOSE


| PHOTO | ITEM NO. | ID (mm) | ID (inch) | THICK (mm) | PLY |
|----------------------------------------------------------------------------------|----------|-----------|-----------|------------|-----|
|  | JH-S3581 | 38-51 | 1.5-2 | 4.5 | 3-4 |
| | JH-S4551 | 45-51 | 1.75-2 | 4.5 | 3-4 |
| | JH-S4557 | 45-57 | 1.75-2.25 | 4.5 | 3-4 |
| | JH-S4563 | 45-63 | 1.75-2.5 | 4.5 | 3-4 |
| | JH-S5157 | 51-57 | 2-2.25 | 4.5 | 3-4 |
| | JH-S5163 | 51-63 | 2-2.5 | 4.5 | 3-4 |
| | JH-S5170 | 51-70 | 2-2.75 | 4.5 | 3-4 |
| | JH-S5176 | 51-76 | 2-3 | 4.5 | 3-4 |
| | JH-S5763 | 57-63 | 2.25-2.5 | 4.5 | 3-4 |
| | JH-S5770 | 57-70 | 2.25-2.75 | 4.5 | 3-4 |
| | JH-S5776 | 57-76 | 2.25-3 | 4.5 | 3-4 |
| | JH-S6370 | 63-70 | 2.5-2.75 | 4.5 | 3-4 |
| | JH-S6376 | 63-76 | 2.5-3 | 4.5 | 3-4 |
| | JH-S6383 | 63-83 | 2.5-3.25 | 4.5 | 3-4 |
| | JH-S6390 | 63-90 | 2.5-3.5 | 5.0 | 3-4 |
| | JH-S7076 | 70-76 | 2.75-3 | 5.0 | 3-4 |
| | JH-S7083 | 70-83 | 2.75-3.25 | 5.0 | 3-4 |
| | JH-S7090 | 70-90 | 2.75-3.5 | 5.0 | 3-4 |
| | JH-S7683 | 76-83 | 3-3.25 | 5.5 | 3-4 |
| | JH-S7390 | 73-90 | 3-3.5 | 5.5 | 3-4 |
| JH-S7695 | 76-95 | 3-3.75 | 5.5 | 3-4 | |
| JH-S8390 | 83-90 | 3.25-3.5 | 5.5 | 3-4 | |
| JH-S8395 | 83-95 | 3.25-3.75 | 5.5 | 3-4 | |
| JH-S90102 | 90-102 | 3.5-4 | 5.5 | 3-4 | |



Xingtai Jinhu Technology Co., LTD

E-mail: admin@jhsealstrip.com
 Web: www.jhsealstrip.com
 Tel & WeChat & WhatsApp: +8618131972399
 After-sales service hotline: +8618733911223

SILICONE HOSE

| PHOTO | ITEM NO. | ID (mm) | ID (inch) | THICK (mm) | PLY |
|--------------------------------------------------------------------------------------|----------|---------|-----------|------------|-----|
|  | JH-DE13 | 13 | 1/2 | 4.5 | 3-4 |
| | JH-DE16 | 16 | 5/8 | 4.5 | 3-4 |
| | JH-DE19 | 19 | 3/4 | 4.5 | 3-4 |
| | JH-DE22 | 22 | 7/8 | 4.5 | 3-4 |
| | JH-DE25 | 25 | 1 | 4.5 | 3-4 |
| | JH-DE28 | 28 | 1 7/8 | 4.5 | 3-4 |
| | JH-DE30 | 30 | 1 3/16 | 4.5 | 3-4 |
| | JH-DE32 | 32 | 1 4/1 | 4.5 | 3-4 |
| | JH-DE35 | 35 | 1 3/8 | 4.5 | 3-4 |
| | JH-DE38 | 38 | 1 1/2 | 4.5 | 3-4 |
| | JH-DE41 | 41 | 1 5/8 | 4.5 | 3-4 |
| | JH-DE45 | 45 | 1 3/4 | 4.5 | 3-4 |
| | JH-DE48 | 48 | 1 7/8 | 4.5 | 3-4 |
| | JH-DE51 | 51 | 2 | 4.5 | 3-4 |
| | JH-DE54 | 54 | 2 | 5.0 | 3-4 |
| | JH-DE57 | 57 | 2 1/4 | 5.0 | 3-4 |
| | JH-DE60 | 60 | 2 3/8 | 5.0 | 3-4 |
| | JH-DE63 | 63 | 2 1/2 | 5.0 | 3-4 |
| | JH-DE70 | 70 | 2 3/4 | 5.5 | 3-4 |
| | JH-DE76 | 76 | 3 | 5.5 | 3-4 |
| JH-DE80 | 80 | 3 1/8 | 5.5 | 3-4 | |
| JH-DE83 | 83 | 3 1/4 | 5.5 | 3-4 | |
| JH-DE89 | 89 | 3 1/2 | 5.5 | 3-4 | |
| JH-DE102 | 102 | 4 | 5.5 | 3-4 | |



Xingtai Jinhu Technology Co., LTD

E-mail: admin@jhsealstrip.com

Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618131972399

After-sales service hotline: +8618733911223



Xingtai Jinhu Technology Co., LTD


E-mail: admin@jhsealstrip.com



Web: www.jhsealstrip.com

Tel & WeChat & WhatsApp: +8618131972399


After-sales service hotline: +8618733911223

SILICONE HOSE

| PHOTO | ITEM NO. | ID(mm) | ID(inch) | THICK (mm) | RINGS |
|-----------------------------------------------------------------------------------|-----------|--------|----------|------------|-------|
|  | JH-SCO25 | 25 | 1 | 4.5 | 1-10 |
| | JH-SCO38 | 38 | 1 1/2 | 4.5 | 1-10 |
| | JH-SCO51 | 51 | 2 | 4.5 | 1-10 |
| | JH-SCO63 | 63 | 2 1/2 | 5.0 | 1-10 |
| | JH-SCO76 | 76 | 3 | 5.0 | 1-10 |
| | JH-SCO89 | 89 | 3 1/2 | 5.0 | 1-10 |
| | JH-SCO102 | 102 | 4 | 5.0 | 1-10 |

| PHOTO | ITEM NO. | ID(mm) | ID(inch) | THICK (mm) | PLY |
|------------------------------------------------------------------------------------|----------|--------|----------|------------|-----|
|  | JH-V3 | 3 | 1/8 | 3.0 | 0 |
| | JH-V5 | 5 | 1/5 | 3.0 | 0 |
| | JH-V6 | 6 | 1/4 | 3.0 | 0 |
| | JH-V8 | 8 | 5/16 | 3.0 | 0 |
| | JH-V10 | 10 | 3/8 | 3.0 | 0 |
| | JH-V12 | 12 | 1/2 | 3.0 | 0 |
|  | JH-H6 | 6 | 1/4 | 3-4.5 | 1-2 |
| | JH-H8 | 8 | 5/16 | 3-4.5 | 1-2 |
| | JH-H10 | 10 | 3/8 | 3-4.5 | 1-2 |
| | JH-H14 | 14 | 9/16 | 3-4.5 | 1-2 |
| | JH-H16 | 16 | 5/8 | 3-4.5 | 1-2 |
| | JH-H25 | 25 | 1 | 3-4.5 | 1-2 |

SILICONE HOSE

| PHOTO | ITEM NO. | ID(mm) | ID(inch) | THICK (mm) | PLY |
|-------------------------------------------------------------------------------------|----------|--------|-------------|------------|-----|
|  | JH-ER001 | 32-25 | 1 1/4-1 | 4.5 | 3-4 |
| | JH-ER002 | 38-32 | 1 1/2-1 1/4 | 4.5 | 3-4 |
| | JH-ER003 | 45-38 | 1 3/4-1 1/2 | 4.5 | 3-4 |
| | JH-ER004 | 48-25 | 1 7/8-1 | 4.5 | 3-4 |
| | JH-ER005 | 48-30 | 1 7/8-1 1/4 | 4.5 | 3-4 |
| | JH-ER006 | 51-38 | 2-1 1/2 | 4.5 | 3-4 |
| | JH-ER007 | 51-45 | 2-1 3/4 | 4.5 | 3-4 |
| | JH-ER008 | 57-51 | 2 1/4-2 | 4.5 | 3-4 |
| | JH-ER009 | 60-48 | 2 3/8-1 7/8 | 4.5 | 3-4 |
| | JH-ER010 | 60-51 | 2 3/8-2 | 4.5 | 3-4 |
| | JH-ER011 | 63-51 | 2 1/2-2 | 4.5 | 3-4 |
| | JH-ER012 | 63-57 | 2 1/2-2 1/4 | 4.5 | 3-4 |
| | JH-ER013 | 70-51 | 2 3/4-2 | 4.5 | 3-4 |
| | JH-ER014 | 70-63 | 2 3/4-2 1/2 | 4.5 | 3-4 |
| | JH-ER015 | 76-51 | 3-2 | 5.0 | 3-4 |
| | JH-ER016 | 76-63 | 3-2 1/2 | 5.0 | 3-4 |
| | JH-ER017 | 76-70 | 3-2 3/4 | 5.0 | 3-4 |
| | JH-ER018 | 80-63 | 3 1/8-2 1/8 | 5.0 | 3-4 |
| | JH-ER019 | 80-76 | 3 1/8-3 | 5.5 | 3-4 |
| | JH-ER020 | 83-70 | 3 1/4-2 3/4 | 5.5 | 3-4 |
| | JH-ER021 | 83-76 | 3 1/4-3 | 5.5 | 3-4 |
| | JH-ER022 | 89-76 | 3 1/2-3 | 5.5 | 3-4 |
| | JH-ER023 | 102-76 | 4-3 | 5.5 | 3-4 |
| | JH-ER024 | 102-89 | 4-3 1/2 | 5.5 | 3-4 |



Xingtai Jinhua Technology Co., LTD


E-mail: admin@jhsealstrip.com


Web: www.jhsealstrip.com


Tel & WeChat & WhatsApp: +8618131972399

After-sales service hotline: +8618733911223

SILICONE HOSE

| PHOTO | ITEM NO. | ID(mm) | ID(inch) | THICK (mm) | LENGTH(m) |
|----------------------------------------------------------------------------------|----------|--------|----------|------------|-----------|
|  | JH-FH3 | 3 | 1/8 | 3.5 | 20 |
| | JH-FH6 | 6 | 1/4 | 3.5 | 20 |
| | JH-FH8 | 8 | 5/16 | 3.5 | 20 |
| | JH-FH10 | 10 | 3/8 | 3.0 | 20 |
| | JH-FH12 | 12 | 1/2 | 4.0 | 20 |
| | JH-FH16 | 16 | 5/8 | 4.0 | 20 |

| PHOTO | ITEM NO. | ID(mm) | ID(inch) | THICK (mm) | LENGTH (m) |
|------------------------------------------------------------------------------------|----------|--------|----------|------------|------------|
|  | JH-W6 | 6 | 1/4 | 3-4.5 | 20 |
| | JH-W8 | 8 | 5/16 | 3-4.5 | 20 |
| | JH-W10 | 10 | 3/8 | 3-4.5 | 20 |
| | JH-W12 | 12 | 1/2 | 3-4.5 | 20 |
| | JH-W14 | 14 | 9/16 | 3.5-4.5 | 20 |
| | JH-W16 | 16 | 5/8 | 3.5-4.5 | 20 |
| | JH-W25 | 25 | 1 | 3.5-4.5 | 20 |



Report Number: QIP-ASI236687 Audit Date : 07 Sep.,2023

This report is issued by Focus Technology Co., Ltd. (Made-in-China.com) and the supervising inspectorate (SGS-CSTC Standards Technical Services Co., Ltd.) to confirm that:

Company Name : Xingtai Jinhua Technology Co., Ltd.
 邢台锦湖科技有限公司


Showroom : <https://jinhutech.en.made-in-china.com>

Address : Room 315, Floor 3, Apartment 2, Qilinhui, Quannan West Street, Quaxi Sub-District Office, Xindu District, Xingtai City, Hebei Province, China

Product : Seal Strip, Weather Stripping, Edge Trim, Silicone Hose, Rubber Hose, Silicone Rubber Hose, Hookah Silicone Hose, EPDM Hose, Weather Seal Strips, PVC Sealing Strips, Gasoline Fuel, Oil Hose, Rubber Air, Water Hose, Molded Rubber Hose, Refrigerant Hose, Decorate PVC, Rubber Edge Trim, Self Adhesive


has been on site audited for the Following Scope of Activity


1. General Information
2. Foreign Trade Capacity
3. Product Research & Development Capacity
4. Management System and Product Certification
5. Working Environment
6. Photos



General Comments:

Xingtai Jinhua Technology Co., Ltd. is a trading company with 8 employees; it was established in 2023, located in Room 315, Floor 3, Apartment 2, Qilinhui, Quannan West Street, Quaxi Sub-District Office, Xindu District, Xingtai City. The offices occupy an area of more than 100 square meters.


 Sign for and on behalf of
 SGS-CSTC Standards Technical Services Co., Ltd.



SGS-CSTC Standards Technical Services Co., Ltd.
 Consumer Electronics

Unless otherwise agreed in writing, this document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/terms-and-conditions.aspx> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein is solely limited to visual examination of the safety and readily accessible portions of the consignment and reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Page No.: 1 of 16

SGS-MIC858520

5F, 5-4 Building, Zhiyin (Baikou) Technology Incubation Special Park, No. 1 Guanghua Road, Nanjing, China 210014 t (86-25) 87128385 f (86-25) 83407773 www.sgs.com.cn
 中国·南京·秦淮区光华路1号紫金白下创业特别社区4号楼5楼5楼 邮编: 210014 t (86-25) 87128385 f (86-25) 83407773 e as.cn@sgs.com

Member of the SGS Group (SGS SA)